

AUTOMOTIVE ROAD & TRACK





HISTORY

Ever since the company was founded in 1976, Öhlins has represented the very pinnacle of suspension technology and firmly rooted itself as an intricate part of the motorsport industry, underpinning countless world titles. That very technology has subsequently been adopted not only as the gold standard of aftermarket suspension, but is also by car and motorcycle manufacturers around the world.

Back in the 1960's, Kenth Öhlin was an up-and-coming motocross rider and showed an innate talent for mechanics. He knew how to bring the best out of his material and soon he saw himself engaged in modifying his competitor's bikes. By the time he started his business he had already designed exhaust pipes, engines and - of course - shock absorbers.

Öhlins soon became synonymous with advanced suspension. The products were not only superior in terms of technology, but as Mr. Öhlin was, and is, a very meticulous man the quality was always outstanding. The first world championship was won already in 1978, as Russian Gennady Moiseev took the 250cc title on an Öhlins equipped KTM. Since then, more than another 350 world titles have followed. The success continued in road racing and soon also in the automotive segment, in racing as well as in rally, all adding to the motorsport pedigree. But don't think that Öhlins was content, not for a minute. The company continued to grow, adding electronically controlled, semi-active suspension to its portfolio under the trademark CES. Today, this technology has revolutionized the car industry and can be found in a wide range of products from premium car manufacturers.

In the 1980's, Öhlins' achievements got the attention of industrial giants and in 1987, Öhlins was acquired by Yamaha. Under the Japanese ownership, Öhlins had the necessary financial stability to develop into a dominating player in the industry. Twenty years later, Öhlins was considered better off on its own legs and Kenth Öhlin regained the company he once had started.





Suspension









OTHER PRODUCT AREAS



DNS -

MX & ENDURO



MOUNTAIN BIKE

WHAT WE LEARNED FROM MOTORSPORT

Competition improves the breed they say. Wise words, but here at Öhlins, competition created the breed. We are a company that has been clearly focused since day one, with a singular purpose: To win races. From Kenth Öhlins´ first simple design back in 1976, through to the computer designed and tested masterpieces that we now create, every Öhlins unit is designed to give you total control, even on the very edge of the performance envelope. As our engineers say 'The ground gives better traction than air.' so every Öhlins design has one clear remit: to keep the car, bike, ATV or snowmobile maximizing traction, cornering speed and control! That is how you win races.

We enjoy a two-way dialogue with all of the teams we support. Kenth Öhlin made a clear decision many years ago, that we would never give any product away free to teams in sponsorship. Not one thing. So, every team that you see winning on Öhlins is doing so through choice, not obligation. The fact that so many teams choose to decline free product to pay for ours perhaps tells you what you need to know about the quality and ability of Öhlins race suspension products.

Over 300 world titles have been achieved on Öhlins, and many thousands of podiums. Every discipline from Touring and GT-cars, through to prototypes, Formula 1 and Indycars. From the WRC through to World Superbikes, MX-GP and MotoGP. In every instance we work closely with the team's technical division in a two-way flow of information that allows us both to analyze data and evaluate performance. This is then poured back into the design and creation of new products as well as the continual improvement of existing lines. Winning races has taught us a lot, and these lessons are directly transferred into our aftermarket programmes where the real enthusiasts can benefit from the very best in forks, steering dampers or suspension.

Motorsport means so much to us. We have over 30 employees solely dedicated to high-end racing support and service. This team regularly briefs our designers on their results 'in the field' to ensure that every Öhlins customer, whether they're a Factory Le Mans team – or a single, discerning enthusiast gets the very best performance from their machine.

We test everything – and then we test again. But data can only tell you so much. At Öhlins, it has always been as much about 'feel' as it has been about the numbers. If it feels 'right' to the driver or rider, then that is even more important than the dry statistics. We're drivers too, and once you have driven on the product, you'll feel the difference.



ÖHLINS TTX-TECHNOLOGY

Öhlins Racing developed the Twin Tube (TTX) technology back in 2002, first used in formula racing series. Since then, the TTX-technology has been developed further to maximize the performance on the track and are now widely featured in all top-level racing. With the TTX-technology you receive the highest level of suspension technology, a real racing product.

The TTX products comes in a variety of dimensions, lengths and designs, all tested by our qualified test drivers. With the individual adjusters for the compression- and rebound valve you have the best possible option to set up your car for the track day.

When driving on the limit, it puts immense stress on your equipment, tires, suspension, brakes, bushings etc. Öhlins TTX-technology allows you to push the car to the limit.

Shock absorbers can experience loss of damping, cavitation when pushed over the limit of optimal performance. With Öhlins TTX-technology we are proud to say that we have eliminated cavitation with our unique design. The TTX-technology always keeps the pressure balanced within the shock absorber. Hence you will never experience a pressure drop or loss of damping performance when pushing your car to the limit to set the fastest laptime.

The Öhlins TTX shock absorbers are racer friendly shock absorbers, easy to set up, dial in and rebuild. Support is always available from the Öhlins distributors worldwide.

ЪΧ



ÖHLINS STX-TECHNOLOGY

The STX-series are a high-pressure monotube type shock absorber. The fluid is under gas pressure and is kept separated by a dividing piston. The pressurisation prevents cavitation of the oil, and the shock absorbing action is, therefore, more even. Öhlins shock absorbers with external rebound adjustment have integrated temperature compensation. The shock absorbing effect is consequently independent of the temperature. The more advanced models permit individual adjustment of compression and rebound damping.

Öhlins shock absorbers provide the possibility of adjustment, making them adaptable to most vehicles, drivers and ranges of use. All of the shock absorbers with springs have adjustable preload of the spring action. The Öhlins STX shock absorbers are racer friendly shock absorbers, easy to set up, dial in and rebuild. Support is always available from the Öhlins distributors worldwide.





THE FEATURES OF DFV TECHNOLOGY

So what is DFV? It is Dual Flow Valve technology – and it sets us apart from our competitors. Only Öhlins has DFV technology on its road and track products.

With DFV, the oil gets an extra passageway which is active in an intermediate speed range. The damping force in this speed range influences comfort to a large degree, but does not affect handling so much. Therefore the damping can be tuned to increase comfort without negatively impacting handling. The DFV can also open during high accelerations, which for instance means that the wheel can return quickly to the ground after a sharp bump, providing grip and traction. The new Öhlins R&T range uses DFV technology on every single fitment, making it the perfect upgrade for the enthusiast that needs comfort and agility in one unit.




FIGURE 1: (Compression flow) At low shaft speeds, oil flows mostly through the shaft jet bleed (lower dotted arrow). At high shaft speeds, oil flows mostly through the compression ports in the piston (upper dotted arrow). At intermediate shaft speeds, which are very critical for comfort, or during sudden shaft accelerations, oil can also escape through the compression ports in the DFV (solid arrow), increasing comfort.

FIGURE 2: (Rebound flow) At low shaft speeds, oil flows mostly through the shaft jet bleed (lower dotted arrow). At high shaft speeds, oil flows mostly through the rebound ports in the piston (upper dotted arrow). At intermediate shaft speeds, which are very critical for comfort, or during sudden shaft accelerations, oil can also escape through the rebound ports in the DFV, increasing comfort and maintaining tyre contact with the road.







FIGURE 3: (Vehicle – no DFV) Without DFV the oil can not flow through the piston quickly enough on the rebound stroke after hitting a bump, so the tyre is not able to stay in contact with the road.

FIGURE 4: (Vehicle – DFV technique) The DFV valve opens, letting the oil flow quicker through the piston on the rebound stroke after hitting a bump, enabling the tyre to stay in contact with the road.

When adjusting ride height on coilover units, it's worth comparing how it's done. On many inferior designs, height is adjusted by raising or lowering the lower spring platform. This has the effect of compressing or extending the spring, which can limit the suspension travel that may cause topping out. The Öhlins method is to leave the spring seat in its perfect position, whilst the lower flange spins easily on the threaded body, to allow you to adjust with absolute precision whilst maintaining the perfect characteristics that we took so long to design in! Once you've set it all up, the adjuster simply locks off to maintain your exact settings.



FIGURE 5: Thermal Expansion



Dampers will get hot. That's one thing that you can be sure of. As the piston moves within the damper, it generates friction – and therefore, heat. Although we can't stop heat, we can deal with it, and this is yet another way that Öhlins differs from the competition. As the heat increases, the viscosity of the damper fluid can change, altering the car's handling characteristics. Our unique needle bleed valve expands with temperature, closing the gap that the fluid travels through, maintaining a consistent damping rate. The best thing of all? You won't even notice! All you'll feel is that the car responds consistently, lap after lap, turn after turn. Allowing you to concentrate on braking points and apexes whilst the Öhlins technology takes care of the damping.

These kits all work well 'out of the box', but there's still plenty of adjustment for you to set things your way. You like stiff and reactive? Or soft and forgiving? It's all there. Too much low speed rebound damping can have an adverse effect on grip, so the easily accessible adjuster at the base of the Öhlins units allows small, but positive increments of fine tuning, so you can take into account every single parameter. Sounds complicated? Nothing could be further from the truth. Just a few clicks either way from our factory settings will soon have your car responding precisely to your inputs and driving style.

The Road & Track McPherson struts also feature camber adjustable upper and lower mounts to give you the possibility to fine tune your wheels for the right occasion – whether you want to go for a ride in your neighborhood or take your car for a spin at the track on a weekend.





ÖHLINS ROAD & TRACK THE CONCEPT

Perfection in performance. That has been the Öhlins way since 1976. We superior performance. The piston shaft and damper walls are microhave achieved this through an obsession with detail and quality. Every part finished and plateau honed for optimum lubricity and low friction coefficient. of the Öhlins manufacturing process sets new standards for the automotive This attention to detail is the same across the entire range of Öhlins industry. Whether it's material choice, design, manufacture or even a small products. Without this fine surface finishing, excessive friction can reduce detail like packaging. Only when it is perfect can it leave the factory. Our the compliancy of the damper causing a loss of function. Road & Track range puts Öhlins incredibly high standards of research, development and manufacture within the reach of the discerning enthusiast. Damping rate on the R&T units is fully adjustable and ties compression and This range is pure Öhlins, but the good news is - you won't need a race rebound together as a matched setting, meaning that in 99% of cases, team budget to afford it! the units will work superbly, straight 'out of the box' with only the small-

est adjustments required to suit the car or drivers individual preferences. For us, the relationship with our customers is usually a long and fruitful one. Despite what other suspension manufacturers may tell you, comfort is We have supplied many of the top teams in motorsport, but also thousands king, even when you are trying to set-up a competition machine. Our vast of genuine enthusiasts. We only manufacture to one guality and every experience in motorsport events around the globe has shown us that the new client is as important as the last. In our view, the relationship doesn't fastest drivers and riders are those who aren't being shaken to bits as they end with that initial sale. We see our role as providing support and back go flat out. The 'science of compliance' is a hugely important part of our up thereafter, for as long as our client needs it. That's why all Öhlins units design work. And last but not least, is durability. But hey, we're Swedish, are fully serviceable and adjustable, making sure that they give faithful and so chances are you have already guessed that we're used to building dynamic service for years to come. Our fully trained and approved service components that survive one of the toughest environments in the World. centers can make your old Öhlins units perform like new and even make The carbon steels bodies are salt spray tested and can service 240 hours of changes in damper characteristics to suit your set-up preferences. abuse, whilst still retaining function. Don't let those stunning race car looks fool you. These are real-world units for daily driven cars.

Remember that our road and track range was born out of our Motorsport programme, where the impossible has to be made possible, so you can That is probably why our Road & Track products have proven to be as expect the same level of care and attention to detail on the R&T range. popular with manufacturers making the ultimate track day car as they are for The choice of materials used is one of the key factors behind Öhlins aftermarket tuners and drivers wanting to upgrade the chassis performance success. Each component is surface treated to ensure reduced friction and of their cars even further.

ÖHLINS ROAD & TRACK DEVELOPMENT PROCEDURE

Ever wondered how Öhlins development process works when we develop a Road & Track kit? Then, continue reading and be amazed how much work we put into every new application.

It's a step by step process which starts with our test drivers drives the car on public roads just outside Stockholm, and on our racetrack to set a benchmark. The goal is to collect enough data about the current setup from driving on the racetrack and public roads.

What data is of our interest? We measure all specific parameters of the suspension, such as the motion ratios, ride-height, roll-centre etc. We are also performing a corner-weight of the car. This data is vital for the next stages of our development process. With our purpose-built software, we develop an initial setting with feedback from our test drivers. From the first setting, we can begin to build an early proposal damper-setting and spring stiffness.

When the computer-based model is developed, it's time to build and fit the first Öhlins Road & Track prototypes to the car.

With the prototypes fitted to the car our technicians and engineers hand over the car to our test drivers again. A first shakedown performed on the racetrack to make sure that we have a safe product.

After the shakedown, we begin to stress the dampers with high-speed maneuvers, and we also find out if the computer modelling of our

damper-settings and spring stiffness are correct. Though our dampers are primarily intended to be used on the racetrack, our engineers and test drivers spend much time to find a comfort-setting for road use. The Road & Track dampers from Öhlins are often more comfortable than the standard suspension.

The process to find the optimum track setting and road setting may take some time. Öhlins is a perfectionist company, and that is clear in our development process. If our test drivers and engineers are not pleased with a particular setting, they change it until they are sure that this is the best possible match between Road & Track.

The final step in the Öhlins Road & Track Development Process is to finalise and prepare the dampers for production. All documentation and prototypes used during the development phases are saved for regulatory compliance to meet legal demands.

The Öhlins Road & Track Development Process is executed for every single car model. Every setting is tailor-made and evaluated thoroughly before being transferred to series production. Our test drivers put in thousands of test kilometres to ensure the perfect handling combined with comfort. We develop our dampers after careful calculations to secure a high-quality product, which is safe to use when driving on the absolute edge. All in all, Öhlins Road & Track group takes care of testing and development to find the optimum performance so you can focus on driving your car with a smile! Drive safe!



WORLD CHAMPIONSHIP TITLES

ÖHLINS HALL OF FAME

Öhlins Racing won its first World Championship Title in 1978 with Gennady Moiseev in the 250cc Motocross championship. From that day, Öhlins has won world championships titles every year, first in Motocross, later in Superbike classes and Auto motorsport championships such as WRC with Mitsubishi, Endurance, VLN, GT-Racing, Touring cars and Formula racing series. 2017 Öhlins teamed up together with Specialized, the Mountainbike manufacturer, to challenge the best for the world title. Öhlins took the title in both the ladies and the men's championship the first time we participated. The rest is history...



CUSTOMER SUCCESS STORIES





"I participate track days almost every second weekend. The Öhlins dampers feel very prestige and stabile on the track but also on the road as well. I wouldn't ever believe that Road & Track dampers could feel so comfortable on both grounds."

NIKO WIETH

Race engineer, Team Owner [a-workx], Racing Driver Munich, Germany



ÖHLINS

PORSCHE 911 PAGE 70

NEW

AUDI A3 • S3 • RS3

YEAR MODEL: A3 2003-2012, S3 2006-2012, RS3 2011-2012 CHASSIS CODE: 2ND GEN, 8P ● PART NO: VWS MT10



> DFV (Dual Flow Valve)

- > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



JFV 🙆

ROAD & TRACK

AUDI A3 • S3 • RS3

YEAR MODEL: A3 2012-2020, **S3** 2013-2020, **RS3** 2015-2020 **CHASSIS CODE:** 3RD GEN, 8V • **PART NO:** WWS MT21



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application







AUDI A4 • S4 • RS4

YEAR MODEL: A4 2008-2016, S4 2008-2016, RS4 2012-2016 CHASSIS CODE: B8 • PART NO: AUS MS00



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20-25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (120 N/mm) FRONT
- > Recommended spring (50 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -9 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



DFV 🙆

ROAD & TRACK

AUDI A5 • S5 • RS5

YEAR MODEL: A5 2007-2016, S5 2007-2017, RS5 2010-2017 CHASSIS CODE: B8 • PART NO: AUS MS00



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20-25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (120 N/mm) FRONT
- > Recommended spring (50 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -9 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.











AUDI R8

YEAR MODEL: 2006-2015 CHASSIS CODE: 1ST GENERATION (V8, V10) • PART NO: AUV MS00



FEATURES

- > TTX-technology
- > Conventional shock absorber
- > 2-way adjustable
- > Height adjustable (approx. 0 20mm lower than standard)
- > Choose your desired spring rates
- Recommended spring (140 N/mm) FRONT
 Recommended spring (140 N/mm) REAR
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



ROAD & TRACK

AUDI R8

YEAR MODEL: 2015-2019 CHASSIS CODE: 2ND GENERATION • PART NO: AUV MT00

NEW



FEATURES

- > TTX-technology
- > Conventional shock absorber
- > 2-way adjustable
- > Height adjustable (approx. 0 10mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (160 N/mm) FRONT
- > Recommended spring (160 N/mm) REAR
- > Rebuildable
- > Weight reduction compared to original suspension: -8 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.







AUDI TT • TTS • TT RS

YEAR MODEL: TT 2006-2014, TTS 2008-2014, TT RS 2009-2014 CHASSIS CODE: 8J • PART NO: VWS MT10



- > DFV (Dual Flow Valve)
- > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



DFV 🙆

ROAD & TRACK

AUDI TT • TTS • TT RS

YEAR MODEL: TT 2014-2020, TTS 2014-2020, TT RS 2014-2020 CHASSIS CODE: FV/8S • PART NO: VWS MT21



- > DFV (Dual Flow Valve) > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.











BMW 1M

YEAR MODEL: 2011-2013 CHASSIS CODE: E82 • PART NO: BMZ MN01



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15 mm lower than standard) FRONT
- > Height adjustable (approx. 5 mm lower than standard) REAR
- > Coil springs (60 N/mm) FRONT
- > Coil springs (110 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application



ROAD & TRACK

BMW 1-SERIES

YEAR MODEL: 2004-2011 CHASSIS CODE: E81, E82, E87, E88 • PART NO: BMS MI01

NEW

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 10 mm lower than standard) FRONT
- > Height adjustable (approx. 15 mm lower than standard) REAR
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty





BMW 3-SERIES

YEAR MODEL: 2004-2013 CHASSIS CODE: E90, E91, E92, E93 • PART NO: BMS MI00



- > DFV (Dual Flow Valve) > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT > Height adjustable (approx. 25 mm lower than standard) REAR
- > Coil springs (60 N/mm) FRONT
- > Coil springs (70 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application

JFV 🙆

ROAD & TRACK

BMW 3-SERIES

YEAR MODEL: 2012-2018 CHASSIS CODE: F30 • PART NO: BMS MP00



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT
- > Height adjustable (approx. 15 mm lower than standard) REAR
- > Coil springs (60 N/mm) FRONT
- > Coil springs (160 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.









BMW M2 • M2 COMPETITION

YEAR MODEL: 2016-2020 CHASSIS CODE: F87 • PART NO: BMS MR40



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 10 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (90 N/mm) FRONT
- > Recommended spring (190 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application

JFV 🙆

ROAD & TRACK

BMW M3

YEAR MODEL: 2001-2005 CHASSIS CODE: E46 • PART NO: BMS MI30



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (110 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application









BMW M3

YEAR MODEL: 2007-2012 CHASSIS CODE: E90, E92 • PART NO: BMS MI40



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15 mm lower than standard) FRONT
- > Height adjustable (approx. 10 mm lower than standard) REAR
- > Coil springs (60 N/mm) FRONT
- > Coil springs (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



ROAD & TRACK

BMW M3

YEAR MODEL: 2014-2018 CHASSIS CODE: F80 • PART NO: BMS MR40



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 10 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (90 N/mm) FRONT
- > Recommended spring (230 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application





BMW M4

YEAR MODEL: 2014-2020 CHASSIS CODE: F82 • PART NO: BMS MR40



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 10 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (90 N/mm) FRONT
- > Recommended spring (230 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application





CHEVROLET CAMARO



YEAR MODEL: 2010-2015 CHASSIS CODE: 5TH GENERATION • PART NO: CHS MP00



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT
 > Height adjustable (approx. 15 mm lower than standard) REAR
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application



ROAD & TRACK

FIAT 124 SPIDER

YEAR MODEL: 2017-2020 PART NO: FIZ MP00 + MAS MP00



- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT
 > Height adjustable (approx. 15 mm lower than standard) REAR
- > Choose your desired spring rates
- > Recommended spring (100 N/mm) FRONT
- > Recommended spring (40 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty









FORD FOCUS RS

YEAR MODEL: 2015-2018 CHASSIS CODE: 3RD GENERATION • PART NO: FOS MS00



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15-25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (80 N/mm) FRONT
- > Recommended spring (70 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



ROAD & TRACK

FORD MUSTANG

YEAR MODEL: 2015-2018 CHASSIS CODE: 6TH GENERATION • PART NO: FOS MR00



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Adjustable camber
- > Height adjustable (approx. 25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (90 N/mm) FRONT
- > Recommended spring (140 N/mm) REAR
- > Use with original top mounts
- > Front shock (McPherson) lower mount has oval mounting hole which offers you the possibility to adjust the camber angle if requested
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty

***NOTE:** Not feasable for vehicle equipped with MagneRide®









HONDA **CIVIC TYPE-R**

YEAR MODEL: 2006-2011 CHASSIS CODE: FD2 • PART NO: HOS MI30

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15 mm lower than standard) FRONT
 > Height adjustable (approx. 30 mm lower than standard) REAR
- > Coil springs (80 N/mm) FRONT
- > Coil springs (24-65 N/mm Progressive) REAR
- > Top mounts included
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty

JFV 🙆

HLINS

HONDA CIVIC TYPE-R

ROAD & TRACK

YEAR MODEL: 2015-2017 CHASSIS CODE: FK2 • PART NO: HOS MT10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (60 N/mm) FRONT
- > Recommended spring (50 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.









HONDA **CIVIC TYPE-R**

YEAR MODEL: 2006-2011 CHASSIS CODE: FD2 • PART NO: HOS MI30

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15 mm lower than standard) FRONT
 > Height adjustable (approx. 30 mm lower than standard) REAR
- > Coil springs (80 N/mm) FRONT
- > Coil springs (24-65 N/mm Progressive) REAR
- > Top mounts included
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty

JFV 🙆

HLINS

HONDA CIVIC TYPE-R

ROAD & TRACK

YEAR MODEL: 2015-2017 CHASSIS CODE: FK2 • PART NO: HOS MT10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (60 N/mm) FRONT
- > Recommended spring (50 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.









HONDA CIVIC TYPE-R

YEAR MODEL: 2017-2020 CHASSIS CODE: FK8 • PART NO: HOS MT00



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15-25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (60 N/mm) FRONT
- > Recommended spring (100 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



ROAD & TRACK

HONDA S2000

YEAR MODEL: 1999-2009 CHASSIS CODE: AP1, AP2 • PART NO: HOS MI21



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 25 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (110 N/mm) FRONT
- > Recommended spring (70 N/mm) REAR
- > Top mounts included
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application









HYUNDAI i30 N

YEAR MODEL: 2017-2020 CHASSIS CODE: PD • PART NO: HYS MT00

NEW

FEATURES

- > DFV (Dual Flow Valve) > McPherson strut ^{FRONT}
- > Conventional shock absorber REAR
- Single bleed adjuster
 Height adjustable (approx. 10-15 mm lower than standard)
 Choose your desired spring rates
 Recommended spring (60 N/mm) FRONT
 Recommended spring (90 N/mm) REAR

- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.





LAMBORGHINI

HURACÁN • HURACÁN PERFORMANTE

NEW


YEAR MODEL: HURACÁN 2014-2020 HURACÁN PERFORMANTE 2017-2020 PART NO: AUV MT00

FEATURES

- > TTX-technology
- > Conventional shock absorber
- > 2-way adjustable
- > Height adjustable (approx. 0 10 mm lower than standard)

- > Choose your desired spring rates
 > Recommended spring (160 N/mm) FRONT
 > Recommended spring (160 N/mm) REAR
- > Rebuildable
- > Weight reduction compared to original suspension: -8 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.







LEXUS GS 460

YEAR MODEL: GS 460 2007-2011 CHASSIS CODE: GS 460 URS190, URS191 PART NO: LES MI00

FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (100 N/mm) FRONT
- > Coil springs (60 N/mm) REAR
- > Top mounts included FRONT
- > Use with original top mounts REAR
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty



LEXUS

PART NO: LES MIOO





LOTUS ELISE • EXIGE



MAZDA MX-5

ROAD & TRACK

YEAR MODEL: ELISE 2001-2011 • EXIGE 2006-2011 PART NO: LOV 1-4D00



FEATURES

- > 1-way compression adjuster
- > 1-way rebound adjuster (shaft bleed) also have a temperature compensating function
- Height adjustable (spring preload)
 Coil springs (35 N/mm) FRONT
- > Coil springs (60 N/mm) REAR
- > Rebuildable
- > Weight reduction compared to original suspension



YEAR MODEL: 1989-2005 CHASSIS CODE: NA/NB • PART NO: MAS MI20



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (80 N/mm) FRONT
- > Coil springs (60 N/mm) REAR
- > Top mounts included
- > Rebuildable
- Weight reduction compared to original suspension
 Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application









MAZDA MX-5

YEAR MODEL: 2005-2015 CHASSIS CODE: NC • PART NO: MAS MI30



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 35 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (40 N/mm) REAR
- > Top mounts included FRONT
- > Use with original top mounts REAR
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application



JFV 🙆

ROAD & TRACK

MAZDA MX-5

YEAR MODEL: 2016-2020 CHASSIS CODE: ND/RF • PART NO: MAS MP00



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT
- > Height adjustable (approx. 15 mm lower than standard) FRONT
- > Choose your desired spring rates
- > Recommended spring (100 N/mm) FRONT
- > Recommended spring (40 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application







MAZDA RX-7





YEAR MODEL: 1991-2002 CHASSIS CODE: FD3S • PART NO: MAS MI10



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 25 mm lower than standard) FRONT
- > Height adjustable (approx. 20 mm lower than standard) REAR
- > Coil springs (110 N/mm)
- > Top mounts included
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty





MERCEDES-BENZ G350 • G400 • G500 • G550 • G63 • G65

БX

ROAD & TRACK

MINI

COOPER S

YEAR MODEL: 2000-2006 CHASSIS CODE: R50/R53 • PART NO: BMS MI10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT
- Height adjustable (approx. 25 mm lower than standard) REAR
 Coil springs (60 N/mm) FRONT
- > Coil springs (50 N/mm) REAR
- > Top mounts included FRONT
- > Use with original top mounts REAR
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application

YEAR MODEL: 1979-2017 **PART NO: MEV 1-4S46**



FEATURES

- > STX-technology
- > Developed specially for Mercedes Benz G-Wagen
- > 46 mm piston for best performance (comfort and chassi control)
- > Remote reservoir
- > 2-way adjustable (Compression and rebound damping forces)
- > To be used with OE-springs
- > Possible to update for extended wheel travel
- > Rebuildable
- > Weight reduction compared to original suspension







MINI COOPER

YEAR MODEL: 2006-2013 CHASSIS CODE: R56 • PART NO: BMS MI20



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 18 mm lower than standard)
 > Coil springs (70 N/mm) FRONT
- > Coil springs (50 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application



JFV 🙆

ROAD & TRACK

MITSUBISHI







DFV 🥹

ROAD & TRACK

MITSUBISHI LANCER EVO VII-IX

YEAR MODEL: 2001-2008 CHASSIS CODE: CT9A • PART NO: MIS MI01



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 35 mm lower than standard) FRONT
- > Height adjustable (approx. 30 mm lower than standard) REAR
- > Choose your desired spring rates
- > Recommended spring (100 N/mm) FRONT
- > Recommended spring (80 N/mm) REAR
- > Top mounts with camber adjustments FRONT
- > Top mounts included
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application

ROAD & TRACK

MITSUBISHI LANCER EVO X

YEAR MODEL: 2007-2016 CHASSIS CODE: CZ4A • PART NO: MIS MI10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 25 mm lower than standard)
- > Coil springs (100 N/mm) FRONT
- > Coil springs (70 N/mm) REAR
- > Top mounts with camber adjustments FRONT
- > Top mounts included
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application





NISSAN 350Z

YEAR MODEL: 2002-2009 CHASSIS CODE: Z33 • PART NO: NIS MI00



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- Coil springs (100 N/mm) FRONT
 Coil springs (70 N/mm) REAR
- > Top mounts (included)
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty



ROAD & TRACK

NISSAN SKYLINE GT-R

YEAR MODEL: 1993-2002 CHASSIS CODE: BCNR33, BNR34 • PART NO: NIS MI10



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 30 mm lower than standard)
- > Coil springs (90 N/mm) FRONT
- > Coil springs (80 N/mm) REAR
- > Top mounts (included)
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application









NISSAN GT-R



ROAD & TRACK

SPEEDSTER • VX220

OPEL / VAUXHALL

YEAR MODEL: 2007-2020 CHASSIS CODE: R35 • PART NO: NIZ MI30



FEATURES

- > DFV (Dual Flow Valve)
- > Conventional shock absorber
- > Single bleed adjuster
- > Height adjustable (approx. 10 mm lower than standard)
- > Coil springs (160 N/mm) FRONT
- > Coil springs (90 N/mm) REAR
- > Top mounts (included) FRONT
- > Use with original top mounts REAR
- > Rebuildable
- > Weight reduction compared to original suspension
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application











PORSCHE 911

БX

YEAR MODEL: 1964-1989 PART NO: POR 5L00, POR 6L00

FEATURES

- STX-technology
 Insert for McPherson-strut, original Bilstein 40 mm outer tube FRONT
 Conventional shock absorber REAR
- Recommended spring torsion bar, in the upper stiffer segment
 Rebuildable
- > 2 year limited warranty

OHLINS.COM





PORSCHE 718 BOXSTER • BOXSTER S • BOXSTER GTS



YEAR MODEL: 2016-2020 CHASSIS CODE: 982 • PART NO: POS MP80



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty



PORSCHE 718 CAYMAN • CAYMAN S • CAYMAN GTS

YEAR MODEL: 2016-2020 CHASSIS CODE: 982 • PART NO: POS MP80

FEATURES

> DFV (Dual Flow Valve)

ROAD & TRACK

- > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty





PORSCHE 981 BOXSTER • BOXSTER S • BOXSTER GTS



YEAR MODEL: 2012-2016 CHASSIS CODE: 981 • PART NO: POS MP80



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



ROAD & TRACK

PORSCHE 981 CAYMAN • CAYMAN S • CAYMAN GTS

YEAR MODEL: 2012-2016 CHASSIS CODE: 981 • PART NO: POS MP80



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
 > Recommended spring (70 N/mm) FRONT
- > Recommended spring (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.













PORSCHE 981 CAYMAN GT4 • CAYMAN GT4 CLUB SPORT

T

PORSCHE 981 CAYMAN GT4

ROAD & TRACK

YEAR MODEL: 2016-2017 CHASSIS CODE: 981 • PART NO: POF 5R00, POF 6R10



FEATURES

- > TTX-technology
- > McPherson strut
- > 2-way adjustable
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (100 N/mm) FRONT
- > Recommended spring (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



YEAR MODEL: 2016-2017 CHASSIS CODE: 981 • PART NO: POZ MR90



- > DFV (Dual Flow Valve) > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (80 N/mm) FRONT
- > Recommended spring (90 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.









PORSCHE 986 BOXSTER • BOXSTER S



ROAD & TRACK

PORSCHE 987

BOXSTER • BOXSTER S

YEAR MODEL: 1996-2004 CHASSIS CODE: 986 • PART NO: POS MR80



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty



YEAR MODEL: 2005-2012 CHASSIS CODE: 987 • PART NO: POS MR80

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.









PORSCHE 987 CAYMAN • CAYMAN S • CAYMAN R



YEAR MODEL: 2005-2012 CHASSIS CODE: 987 • PART NO: POS MR80



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



ROAD & TRACK

PORSCHE 996 CARRERA • TARGA SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 1999-2004 CHASSIS CODE: 996 • PART NO: POZ MI00

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (60 N/mm) FRONT
- > Coil springs (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application









PORSCHE 996 CARRERA 4 • CARRERA 4S

SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 1999-2005 CHASSIS CODE: 996 • PART NO: POZ MN02

FEATURES

- > DFV (Dual Flow Valve)
 > McPherson strut FRONT
 > Conventional shock absorber REAR
 > Single bleed adjuster
 > Height adjustable (approx. 20 mm lower than standard)
 > Coil springs (70 N/mm) FRONT
 > Coil springs (120 N/mm) REAR
 > Use with original top mounts
 > Rebuildable
 > Corrosion salt spray tested (ISO 9227)
 > 2 year limited warranty
- > TÜV approved application

JFV 🙆

ROAD & TRACK

PORSCHE 996 TURBO • TURBO S SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2001-2005 CHASSIS CODE: 996 • PART NO: POZ MN02

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application







PORSCHE 996 GT2

YEAR MODEL: 1999-2005 CHASSIS CODE: 996 • PART NO: POS MI10

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (140 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application

ROAD & TRACK

JFV 🙆

PORSCHE 996 GT3 • GT3 RS SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 1999-2005 CHASSIS CODE: 996 • PART NO: POS MI10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (140 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application









PORSCHE 997 CARRERA • CARRERA S SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2005-2015 CHASSIS CODE: 997 • PART NO: POS MI20

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (60 N/mm) FRONT
- > Coil springs (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



ROAD & TRACK

PORSCHE 997 CARRERA 4 • TARGA 4 SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2005-2012 CHASSIS CODE: 997 • PART NO: POZ MN05



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 35 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



PORSCHE 997 TURBO • TURBO S SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2005-2012 CHASSIS CODE: 997 • PART NO: POZ MN05



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 35 mm lower than standard)
- > Coil springs (70 N/mm) FRONT
- > Coil springs (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



ROAD & TRACK

PORSCHE 997 GT2 • GT2 RS

YEAR MODEL: 2007-2011 CHASSIS CODE: 997 • PART NO: POZ MN04



- FEATURES
- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 5 mm lower than standard)
- > Coil springs (90 N/mm) FRONT
- > Coil springs (140 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application









PORSCHE 997 GT3 • GT3 RS • GT3 RS 4.0

YEAR MODEL: 2007-2011 CHASSIS CODE: 997 • PART NO: POZ MN04



FEATURES

- > DFV (Dual Flow Valve)
- McPherson strut FRONT
 Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 5 mm lower than standard)
- > Coil springs (90 N/mm) FRONT
- > Coil springs (140 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



ROAD & TRACK

PORSCHE 997 GT3 RS

YEAR MODEL: 2007-2011 CHASSIS CODE: 997 • PART NO: POF 5Q00, POF 6N01



FEATURES

- > TTX-technology
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > 2-way adjustable
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (120 N/mm) FRONT
- > Coil springs (170 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.









PORSCHE 991 CARRERA • CARRERA S

YEAR MODEL: 2011-2019 **CHASSIS CODE:** 991.1, 991.2 • **PART NO:** POS MP70



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 10 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (120 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



JFV 🙆

ROAD & TRACK

PORSCHE 991 CARRERA 4 GTS • TARGA 4 SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2013-2019 CHASSIS CODE: 991.1, 991.2 • PART NO: POS MS00

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 10-20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (140 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.







PORSCHE 991 TURBO • TURBO S SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2013-2019 CHASSIS CODE: 991.1, 991.2 • PART NO: POS MS00



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 10-20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring (140 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



JFV 🙆

ROAD & TRACK

PORSCHE 991 GT3 • GT3 RS

YEAR MODEL: 2013-2020 CHASSIS CODE: 991.1, 991.2 • PART NO: POF 5R00, POF 6R00



FEATURES

- > TTX-technology
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > 2-way adjustable
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (100/120 N/mm) FRONT
- > Recommended spring (200 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application









RENAULT MÉGANE R.S. TROPHY 275 • MÉGANE R.S. 275 TROPHY-R

This kit is available as an upgrade option through the Renault dealer network.

YEAR MODEL: 2014-2017 **RENAULT PART NO: 8201603148**



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional Shock Absorber REAR
- > Single bleed adjuster
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty



ROAD & TRACK

SEAT LEON • TOLEDO SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: LEON 2005-2012, TOLEDO 2004-2009 CHASSIS CODE: LEON MK2, TYPE 1P, TOLEDO MK3, 5P PART NO: WWS MT10

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring, Leon (70 N/mm) REAR
- > Recommended spring, Toledo (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.









SEAT LEON SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2012-2020 CHASSIS CODE: MK3, TYPE 5F • PART NO: VWS MT21



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15-20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD/ST (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



JFV

ROAD & TRACK

SKODA OCTAVIA • OCTAVIA RS

YEAR MODEL: OCTAVIA • OCTAVIA RS 2005-2013 CHASSIS CODE: 1Z • PART NO: VWS MT10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD/Estate (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.











SKODA OCTAVIA • OCTAVIA RS



YEAR MODEL: OCTAVIA • OCTAVIA RS 2013-2020 CHASSIS CODE: MK3, TYPE 5E • PART NO: VWS MT21



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 15 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD/Estate (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



ROAD & TRACK

SUBARU BRZ

YEAR MODEL: 2012-2020 CHASSIS CODE: ZC6 • PART NO: SUS MP21



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional Shock Absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT
- > Height adjustable (approx. 15 mm lower than standard) REAR
- > Choose your desired spring rates
- > Recommended spring (50 N/mm)
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty











SUBARU IMPREZA WRX STI • STI RACING



YEAR MODEL: 2007-2014 CHASSIS CODE: GR, GV • PART NO: SUS MI10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional Shock Absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Coil springs (90 N/mm) FRONT
- > Coil springs (70 N/mm) REAR
- > Top mounts with camber adjustments (included) FRONT
- > Top mounts (included) REAR
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application



ROAD & TRACK

SUBARU WRX STI

YEAR MODEL: 2015-2020 CHASSIS CODE: VA • PART NO: SUS MI10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional Shock Absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 25 mm lower than standard) FRONT
- Height adjustable (approx. 15 mm lower than standard) REAR
 Coil springs (90 N/mm) FRONT
- > Coil springs (70 N/mm) REAR
- > Top mounts with camber adjustments (included) FRONT
- > Top mounts (included) REAR
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > TÜV approved application









OHLINS.COM

FEATURES

> Rebuildable

> DFV (Dual Flow Valve)

> McPherson strut FRONT

> Single bleed adjuster

> Coil springs (50 N/mm) FRONT

> Coil springs (progressive) REAR

> Use with original top mounts

> 2 year limited warranty

> TÜV approved application

> Conventional Shock Absorber REAR

> Corrosion salt spray tested (ISO 9227)

> Height adjustable (approx. 30 mm lower than standard)

SUZUKI

SWIFT SPORT

YEAR MODEL: 2004-2012 CHASSIS CODE: 2ND GEN, ZC31S • PART NO: SZS MI00





JFV



ΤΟΥΟΤΑ GT86

YEAR MODEL: 2012-2020 CHASSIS CODE: ZN6 • PART NO: SUS MP21



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut FRONT
- > Conventional Shock Absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard) FRONT
- > Height adjustable (approx. 15 mm lower than standard) REAR
- > Choose your desired spring rates
- > Recommended spring (50 N/mm)
- > Use with original top mounts
- > Rebuildable
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty









VOLKSWAGEN GOLF V SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2003-2008 CHASSIS CODE: MK5, TYPE 1K • PART NO: WWS MT10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD/Variant (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.



ROAD & TRACK

VOLKSWAGEN GOLF VI SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2008-2012 CHASSIS CODE: MK 6, TYPE 5K • PART NO: WWS MT10

FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD/Variant (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.













VOLKSWAGEN GOLF VII

SEE ALL AVAILABLE MODELS ON PAGE 110

YEAR MODEL: 2012-2020

CHASSIS CODE: MK7 / MQB, TYPE 5G • PART NO: WWS MT21



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD/Variant (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty
- > Cancellation kit available. For more info see page 107.
- > TÜV approved application



JFV 🙆

ROAD & TRACK

VOLKSWAGEN SCIROCCO • SCIROCCO R

YEAR MODEL: 2008-2017 PART NO: WWS MT10



FEATURES

- > DFV (Dual Flow Valve)
- > McPherson strut (55 mm width) FRONT
- > Conventional shock absorber REAR
- > Single bleed adjuster
- > Height adjustable (approx. 20 mm lower than standard)
- > Choose your desired spring rates
- > Recommended spring (70 N/mm) FRONT
- > Recommended spring FWD (70 N/mm), 4WD (80 N/mm) REAR
- > Use with original top mounts
- > Rebuildable
- > Weight reduction compared to original suspension: -10 kg
- > Corrosion salt spray tested (ISO 9227)
- > 2 year limited warranty









CANCELLATION KIT

Öhlins Racing provides cancellation kits for cars equipped with originally equipped (OE) electronically adjustable shock absorbers. Using a cancellation kit from Öhlins prevents error messages from appearing at the display after switching shock absorbers on the car.

- > Avoids error messages when changing the shock absorber from OE.
 > The car ECU works in conjunction with this cancellation kit and all functions of the car remains as OE.
- > Can also be used for other manufacturers and OE aftermarket suspensions separately
- > The kit comes with Mounting instruction and one kit contains parts for whole car.

0		I.	10		2	0	
U		D	10	٥.		υ	L



MODEL	CHASSI CODE	PART NO
AUDI A3/S3	8V	35020-23
AUDI RS3	8V	35020-24
AUDI A4/S4/A5/S5	B8	35020-19
AUDI RS4/RS5	B8	35020-21
AUDI R8	GEN 1	35020-17
AUDI R8	GEN 2	35020-28
AUDI TT/TTS/TT RS	8J	35020-24
BMW 3-SERIES	F30	35020-03
BMW M3	F80	35020-02
BMW M3	E92	35020-04
BMW M4	F82	35020-02
BMW Z4	E89	35020-05
CHEVROLET CAMARO	5 th GEN	35020-16
FORD FOCUS RS	MK3	35020-18
HONDA CIVIC TYPE-R	FK2	35020-20
HONDA CIVIC TYPE-R	FK8	35020-25
HYUNDAI i30 N	PD	35020-26
LAMBORGHINI HURACÁN	-	35020-28
LAMBORGHINI HURACÁN PERFORMANTE	-	35020-28
NISSAN GT-R	R35	35020-06
PORSCHE 981	981	35020-07
PORSCHE 981 GT4	981	35020-13
PORSCHE 987	987	35020-08
PORSCHE 991	991	35020-07
PORSCHE 991 GT3	991	35020-13
PORSCHE 997 CAB	997	35020-09
PORSCHE 997	997	35020-10
SEAT LEON	MK2	35020-14
SEAT LEON	MK3	35020-15
SKODA OCTAVIA	1Z	35020-14
SKODA OCTAVIA	5E	35020-15
VOLKSWAGEN GOLF V	1K	35020-14
VOLKSWAGEN GOLF VI	5K	35020-14
VOLKSWAGEN GOLF VII	5G	35020-15

КІТ
Cancellation kit
Cancellation kit EDC
Cancellation kit
Cancellation kit PASM
Cancellation kit DCC



ÖHLINS STICKERS


Öhlins stickers range gives you the option to personalize your car or shock. Stickers can be found through the Öhlins network.



STICKERBOX

Part No: 10207-02 Size: 73 x 30 mm





ÖHLINS BLUE/YELLOW MEDIUM

Part No: 01196-02 Size: 74 x 28 mm



ÖHLINS BLUE/YELLOW MEDIUM

Part No: 11221-01 Size: 210 x 79 mm



ÖHLINS BLACK/WHITE MEDIUM

Part No: 11221-02 Size: 210 x 79 mm





Ö YELLOW SMALL Part No: 11221-08 Size: 17 x 32 mm

Ö BLACK SMALL

Part No: 11221-09

Size: 17 x 32 mm

Ö YELLOW Part No: 11221-06 Size: 43 x 80 mm




OHLINS.COM




ÖHLINS BLACK/WHITE

Part No: 01196-01 Size: 74 x 28 mm



ÖHLINS RETRO BLACK

Part No: 11221-04 Size: 63 x 47 mm



ÖHLINS RETRO WHITE

Part No: 11221-05 Size: 63 x 47 mm



PRODUCT RANGE 2020

MODEL	CHASSIS CODE	YEAR	PART NO	TÜV APPROVED	PAGE
AUDI					
A3 • S3 • RS3	2 ND Gen, 8P	A3 2003-2012 • S3 2006-2012 • RS3 2011-2012	VWS MT10	YES	22
A3 • S3 • RS3	3 RD Gen, 8V	A3 2012-2020 • S3 2013-2020 • RS3 2015-2020	VWS MT21	YES	23
A4 • S4 • RS4	B8	A4 2008-2016 • S4 2008-2016 • RS4 2012-2016	AUS MS00	-	24
A5 • S5 • RS5	B8	A5 2007-2016 • S5 2007-2017 • RS5 2010-2017	AUS MS00	-	25
R8	1st generation (V8, V10)	2006-2015	AUV MS00	-	26
R8	2 ND generation	2015-2019	AUV MT00	-	27
	8J	TT 2006-2014 • TTS 2008- 2014 • TT RS 2009-2014	VWS MT10	-	28
ΤΤ • ΤΤS • ΤΤ RS	FV, 8S	TT 2014-2020 • TTS 2014-2020 • TT RS 2014-2020	VWS MT21	-	29
BMW					
1M	E82	2011-2013	BMZ MN01	YES	30
1-SERIES	E81, E82, E87, E88	2004-2011	BMS MI01	-	31
3-SERIES	E90, E91, E92, E93	2004-2013	BMS MI00	YES	32
3-SERIES	F30	2012-2018	BMS MP00	-	33
M2 • M2 COMPETITION	F87	2016-2019	BMS MR40	YES	34
M3	E46	2001-2005	BMS MI30	YES	35

MODEL CHASSIS CODE M3 E90, E92 M3 F80 M4 F82 Z4 E89 CHEVROLET CAMARO 5th Generation FIAT 124 SPIDER FORD FOCUS RS 3rd Generation MUSTANG 6th Generation HONDA CIVIC TYPE-R FD2 CIVIC TYPE-R FK2 CIVIC TYPE-R FK8 S2000 AP1, AP2 HYUNDAI i30 N PD LAMBORGHINI HURACAN HURACAN PERFORMANTE LEXUS GS 460 URS190, URS191 IS-F USE20R IS 250 GSE21 IS 350 GSE20 LOTUS ELISE -EXIGE -MAZDA MX-5 NA/NB MX-5 NC MX-5 ND, RF RX-7 FD3S RX-8 SE3P MERCEDES-BENZ G350 • G400 • G500 • G550 • G63 • G65 MINI COOPER S R50/R53 COOPER R56 MITSUBISHI LANCER EVO IV-VI CN9A, CP9A CT9A LANCER EVO VII-IX

YEAR	PART NO	TÜV APPROVED	PAGE
2007-2012	BMS MI40	YES	36
2014-2018	BMS MR40	YES	37
2014-2020	BMS MR40	YES	38
2009-2011	BMS MP50	YES	39
2010-2015	CHS MP00	YES	40
2017-2020	FIZ MP00 + MAS MP00	-	41
2015-2018	FOS MS00	-	42
2015-2018	FOS MR00	-	43
2006-2011	HOS MI30	-	44
2015-2017	HOS MT10	-	45
2017-2020	HOS MT00	YES	46
1999-2009	HOS MI21	YES	47
2017-2020	HYS MT00	-	48
2014-2020	AUV MT00	-	50
2017-2020	AUV MT00	-	50
2007-2011	LES MI00	-	52
2005-2013	LES MI00	-	53
2005-2013	LES MI00	-	53
2005-2013	LES MI00	-	53
2001-2011	LOV 1-4D00	-	54
2006-2011	LOV 1-4D00	-	54
1989-2005	MAS MI20	YES	55
2005-2015	MAS MI30	YES	56
2016-2020	MAS MP00	YES	57
1991-2002	MAS MI10	-	58
2003-2008	MAS MI00	-	59
1979-2017	MEV 1S46-4S46	-	60
2000-2006	BMS MI10	YES	61
2006-2013	BMS MI20	YES	62
1996-2001	MIZ MI00 + MIS MI00	-	63
2001-2008	MIS MI00	YES	64

MODEL	CHASSIS CODE	YEAR	PART NO	TÜV APPROVED	PAGE
ANCER EVO X	CZ4A	2007-2016	MIS MI10	YES	65
NISSAN					
350Z	Z33	2002-2009	NIS MI00	-	66
SKYLINE GT-R	BCNR33, BNR34	1993-2002	NIS MI10	YES	67
GT-R	R35	2007-2020	NIZ MI30	YES	68
DPEL • VAUXHALL					
SPEEDSTER • VX220	-	2000-2005	OPV 1-4E00	-	69
PORSCHE 911					
911	-	1964-1989	POR 5L00, POR 6L00	-	70
PORSCHE 718					
OXSTER • BOXSTER S • BOXSTER GTS	982	2016-2020	POS MP80	-	72
AYMAN • CAYMAN S • CAYMAN GTS	982	2016-2020	POS MP80	-	73
PORSCHE 981					
XXXSTER • BOXSTER S • BOXSTER GTS	981	2012-2016	POS MP80	-	74
AYMAN • CAYMAN S • CAYMAN GTS	981	2012-2016	POS MP80	-	75
AYMAN GT4 • CAYMAN GT4 CLUB SPORT (TTX)	981	2016-2017	POF 5R00, POF 6R10	-	76
AYMAN GT4	981	2016-2017	POZ MR90	-	77
ORSCHE 986					
OXSTER • BOXSTER S	986	1996-2004	POS MR80	-	78
ORSCHE 987					
OXSTER • BOXSTER S	987	2005-2012	POS MR80	-	79
AYMAN • CAYMAN S • CAYMAN R	987	2005-2012	POS MR80	-	80
ORSCHE 996					
ARRERA • CARRERA CAB • TARGA	996	1999-2004	POZ MI00	YES	81
ARRERA 4/4S • CARRERA 4/4S CAB	996	1999-2005	POZ MN02	YES	82
URBO • TURBO S • TURBO CAB • TURBO S CAB	996	2001-2005	POZ MN02	YES	83
iT2	996	1999-2005	POS MI10	YES	84
AT3 • GT3 RS	996	1999-2005	POS MI10	YES	85
ORSCHE 997					
ARRERA • CARRERA S • CARRERA CAB • CARRERA S CAB	997	2005-2015	POS MI20	YES	86
ARRERA 4/4S • CARRERA 4/4S CAB • TARGA 4/4S	997	2005-2012	POZ MN05	YES	87
URBO • TURBO S • TURBO CAB • TURBO S CAB	997	2005-2012	POZ MN05	YES	88
T2 • GT2 RS	997	2007-2011	POZ MN04	YES	89
T3 • GT3 RS • GT3 RS 4.0	997	2007-2011	POZ MN04	YES	90
its RS (TTX)	997	2007-2011	POF 5Q00, POF 6N01	-	91
PORSCHE 991					
ARRERA • CARRERA S	991.1, 991.2	2011-2019	POS MP70	-	92
ARRERA 4 GTS • CARRERA 4 GTS CAB	991.1, 991.2	2013-2019	POS MS00	-	93
ARGA 4/4S/4GTS	991.1, 991.2	2013-2019	POS MS00	-	93
JRBO • TURBO S • TURBO CAB • TURBO S CAB	991.1, 991.2	2013-2019	POS MS00	-	94
T3 • GT3 RS (TTX)	991.1, 991.2	2013-2020	POF 5R00, POF 6R00	YES	95

MODEL	CHASSIS CODE	YEAR	PART NO	TÜV APPROVED	PAGE
RENAULT					
MÉGANE R.S. TROPHY 275 • MÉGANE R.S. 275 TROPHY-R *	-	2014-2017	8201603148 **	-	96
SEAT					
LEON • LEON CUPRA	MK2, 1P	2005-2012	VWS MT10	-	97
TOLEDO	MK3, 5P	2004-2009	VWS MT10	-	97
LEON • LEON ST • LEON CUPRA • LEON CUPRA ST	MK3, 5F	2012-2020	VWS MT21	-	98
LEON CUPRA R • LEON CUPRA R ST	MK3, 5F	2012-2019	VWS MT21	-	98
SKODA					
OCTAVIA • OCTAVIA RS	MK2, 1Z	2005-2013	VWS MT10	-	99
OCTAVIA • OCTAVIA RS	MK3, 5E	2013-2020	VWS MT21	-	100
SUBARU					
BRZ	ZC6	2012-2020	SUS MP21	-	101
IMPREZA WRX STI	GR	2007-2011	SUS MI10	YES	102
STI RACING	GV	2007-2014	SUS MI10	YES	102
WRX STI	VA	2015-2020	SUS MI10	YES	103
SUZUKI					
SWIFT SPORT	ZC31S	2004-2010	SZS MI00	YES	104
ΤΟΥΟΤΑ					
GT86	ZN6	2012-2020	SUS MP21	-	105
VOLKSWAGEN					
GOLF V GTI • GOLF V HB/VARIANT • GOLF V R32 • JETTA V	MK5, 1K	2003-2008	VWS MT10	-	106
GOLF VI • GOLF VI CAB/VARIANT • GOLF VI GTI HB/CAB	MK6, 5K	2008-2012	VWS MT10	-	107
GOLF VI R HB/CAB • JETTA VI	MK6, 5K	2008-2012	VWS MT10	-	107
GOLF VII GTD/GTE/GTI • GOLF VII HB/VARIANT	MK7, MQB, 5G	2012-2020	VWS MT21	YES	108
GOLF VII R HB/VARIANT	MK7, MQB, 5G	2012-2020	VWS MT21	YES	108
SCIROCCO • SCIROCCO R	-	2008-2017	VWS MT10	-	109



FOR MORE CONTACT INFORMATION

Full information about which models Öhlins products are available for, please contact your local Öhlins distributor or visit www.ohlins.com/contact/distributors AFRICA

KENYA Azar Anwar Motorsport

ASIA

CHINA Gusto Technik Performance Parts Co. Ltd. HONG KONG Gusto Technik Performance Parts Co. Ltd. INDONESIA PT. Madani Sentra Multi Jasa JAPAN Carrozzeria Japan Co. Ltd. MALAYSIA High N Lubricant SDN BHD PHILIPPINES Öhlins Asia Co., Ltd. SINGAPORE Sporting Motors Pte Ltd. SOUTH KOREA Neobis Int Co. Ltd. THAILAND Öhlins Asia Co., Ltd. TAIWAN Capricore Trading Co. Ltd.

VIETNAM Öhlins Asia Co., Ltd.

EUROPE

AUSTRIA Öhlins DTC BELGIUM Öhlins DTC **BULGARIA** Öhlins DTC **CROATIA** Öhlins DTC CYPRUS Öhlins DTC CZECH REPUBLIC Öhlins DTC DENMARK Öhlins DTC **ESTONIA** Öhlins Northern Europe FINLAND Öhlins Northern Europe FRANCE PFP Racing **GERMANY** Öhlins DTC **GREECE** Öhlins DTC HUNGARY Öhlins DTC ITALY Andreani Group International s.r.l LATVIA Öhlins Northern Europe LITHUANIA Öhlins Northern Europe LUXEMBURG Öhlins DTC THE NETHERLANDS Öhlins DTC NORWAY Öhlins Northern Europe POLAND FF-Sport

TURKEY Öhlins DTC **UKRAINE** Öhlins DTC

MIDDLE EAST

USA Öhlins USA Inc.

PACIFIC **NEW ZEALAND** Kiwi Suspension Solutions

PARAGUAY Gotze Ingenieria S.A.

PORTUGAL Maxi-Shocks **REPUBLIC OF IRELAND** Öhlins DTC **ROMANIA** Öhlins DTC RUSSIA Öhlins Northern Europe SLOVAKIA Öhlins DTC **SLOVENIA** Öhlins DTC SPAIN Andreani MHS Ibérica SL SWEDEN Öhlins Northern Europe SWITZERLAND Öhlins DTC UNITED KINGDOM Öhlins DTC

DUBAI Automotive Design & Development **ISRAEL** G-Force Motorsport **LEBANON** Lead Race Engineering

NORTH & CENTRAL AMERICA

CANADA Öhlins USA Inc. MEXICO Öhlins USA Inc.

AUSTRALIA Steve Cramer Products

SOUTH AMERICA

ARGENTINA Alpes Racing BRAZIL JP3 Motorsport **EQUADOR** RPM Imports



Öhlins Racing AB Instrumentvägen 8-10 Box 722 SE-19427 Upplands-Väsby, Sweden Phone: +46 (0)8 590 025 00 Mail: info@ohlins.se Web: www.ohlins.com

OHLINSAUTO

OHLINSRACING

C OHLINSRACING

OHLINSRACING